


5-HERPES VIRUS 6-MYOSIN 7-O-LDL 3-MYCOPLASMA 4-H.PYLORI 5-HERPES VIRUS 6-MYOSIN 7-O-LE 10-LUPUS PEPTIDE 11-ARTHRITIS PEPTIDE 12-IMMUNE COMPLEX LEGEND: 3-MYCOPLASMA 9-HSP-60 ORAL BACTERIA 2-CHLAMYDIA 8-B2-GLYCOPROTEIN 9-HSP-60 1-ORAL BACTERIA







7-0-LDL 12-IMMUNE COMPLEX **6-MYOSIN** 5-HERPES VIRUS 11-ARTHRITIS PEPTIDE 4-H.PYLORI LEGEND: 10-LUPUS PEPTIDE 3-MYCOPLASMA ORAL BACTERIA 2-CHLAMYDIA 8-B-2-GLYCOPROTEIN 9-HSP-60 1-ORAL BACTERIA

r,






, patients with Mean + SD of IgA antibody levels in 30 saliva samples from controls , and autoimmune disease cardiovascular disease



], patients with levels in 30 saliva samples from controls and autoimmune disease Mean ± SD of IgA antibody cardiovascular disease



], patients with Mean \pm SD of IgA antibody levels in 30 saliva samples from controls cardiovascular disease M, and autoimmune disease

, .

FIG. 6

CORRELATION BETWEEN REACTIVITY OF ANTIBODY TO AUTOANTIGEN AND MEDICAL CONDITION

Reactivity of Saliva IgA Antibody Against:

neactivity of Saliva 1gA Antibody Against:	Medical	Condition	Optimal	Possible Atherosclerosis
	Immune	Complex	I	+
	B-2	Glycoprotein-1 Antibody		
	Heat-Shock	Protein-60 Antibody	ľ	+
	Oxidized	TDF	1	+
	Myosin	Antibody	ţ.	+